

# INFLUENCE OF PALM-BASED FLUID SHORTENING ON THE PHYSICAL AND TEXTURAL PROPERTIES OF BISCUITS

NUR HAQIM ISMAIL\*; MISKANDAR MAT SAHRI\* and RAFIDAH ABD HAMID\*

## ABSTRACT

*The aim of this research was to evaluate the performance of palm-based fluid shortening on the quality of biscuits in comparison to the control biscuits produced with solid shortening and refined, bleached and deodourised (RBD) palm olein. Solid shortening had the highest content of saturated fatty acids mainly palmitic acid while RBD palm olein contains the highest amount of dominant unsaturated fatty acid which is oleic acid. The fatty acid composition showed an absence of trisaturated fatty acid in RBD palm olein. The hardness of the dough, biscuit dimensions and physical properties were evaluated. The dough of the biscuit containing solid shortening was the stiffest and highest in weight as compared to the dough of the biscuit containing fluid shortening and RBD palm olein. The values for diameter, length, thickness and spread ratio varied significantly ( $P \leq 0.05$ ). The study has demonstrated that the weight, thickness, spread ratio, moisture content and hardness of biscuits containing fluid shortening were insignificantly different ( $P > 0.05$ ) with the biscuits containing solid shortening. Biscuits containing solid shortening had the highest lightness value ( $L^*$ ). Thus, the results indicated that the performance of the fluid shortening in biscuits is comparable with solid shortening.*

**Keywords:** palm-based fluid shortening, biscuit, texture.

**Date received:** 23 October 2017; **Sent for revision:** 30 October 2017; **Received in final form:** 12 January 2018; **Accepted:** 2 February 2018.

## INTRODUCTION

Biscuits are made from wheat flour, shortening, sugar, eggs, and other optional ingredients such as chocolate chips, dried fruits, nuts, and flavouring essence to enhance the taste and aroma of the biscuits. These ingredients are mixed together and churned, developing the gluten networking, referred to as dough. Fat plays a crucial role in developing the properties of the biscuits. The amount and type of fat incorporated in the dough have a great influence on the viscoelastic properties of the dough (Baltsavias *et al.*, 1997) as well as the rheological properties of biscuit dough (Jissy and Leelavathi, 2007). Fat is also essential for preserving the quality

of the biscuit by contributing to the tenderness (O'Brien, 2003), promoting texture, mouthfeel and overall perception of lubricity of the product as a result of interactions with other ingredients (Giese, 1996; Stauffer, 1998).

In the production of biscuits, the solid fat content (SFC) in the fat impacts on the characterisation of the product at the temperature of biscuit preparation which is 25°C-30°C. Basically, at least 15%-20% of fat in the solid state (Manley, 2000a) is required to obtain good quality biscuits. Shortenings with higher SFC do not have sufficient oil volume for satisfactory aeration. On the other hand, shortenings with lower SFC do not have the capacity to retain the air until mixing is complete. During mixing, the presence of some solid fat is crucial and the use of liquid oil will result in some detrimental effect in the handling characteristics of the dough (Jissy and Leelavathi, 2007). Several publications have shown

\* Malaysian Palm Oil Board, 6 Persiaran Institusi, Bandar Baru Bangi, 46000 Kajang, Selangor, Malaysia. E-mail: nurhaqim.ismail@mpob.gov.my

that different types of fat used in making biscuits have a great impact on the quality of biscuits. It has been reported that the use of butter fat in biscuit impart its flavour and mouthfeel (Yanty *et al.*, 2014). Goldstein and Seetharaman (2011) reported that all purpose shortening produced superior quality biscuits as compared to monoglyceride stabilised oil in water emulsion shortening. On the other hand, Sciarini *et al.* (2013) found that lauric-based shortening produced good quality biscuits.

Fluid shortening contains both liquid and solid phases. It comprises of moderately small (less than or equal to 15 micron) and stable beta crystalline phase in a fat network (Ghotra *et al.*, 2002). Fluid shortening is convenient in the preparation of baked goods and bread-making processes (Gawrilow, 1980). The role of fluid shortenings in baking processes is comparable to the plastic shortenings, but fluid shortenings are much favoured for use in the commercial baking processes due to ease in handling, pumping, and metering (Ghotra *et al.*, 2002). Plant-based shortenings especially palm oil is much preferred as an ingredient in biscuit formulation due to their functional properties as well as their cost-effectiveness (Yanty *et al.*, 2014). However, the scientific data on the performance of fluid shortening in biscuits are scarcely found.

This study was done to ascertain the effects of palm-based fluid and solid shortenings and refined, bleached and deodourised (RBD) palm olein with varying SFC on the physical and textural properties of dough and biscuit.

## MATERIALS AND METHODS

### Materials

Commercially available wheat flour, sugar, eggs, baking powder, vanilla essence and RBD palm olein [iodine value (IV) 58] were procured from the local market. Palm oil (IV=52) and palm stearin (IV=33) were purchased from Mewah Oil Sdn Bhd and Sawit Raya Sdn Bhd, Selangor, Malaysia, respectively. Fluid shortening was prepared solely from palm oil according to the method as described by Che Man *et al.* (2009). Solid shortening from mixture of 20% of palm stearin and 80% of palm oil were produced at the Margarine Pilot Plant, Malaysian Palm Oil Board (MPOB), Malaysia.

### Solid Fat Content

The SFC was measured by using pulse NMR (model NMS Minispec from Bruker, Rheinstetten, Silberstreifen, Germany) and NMR tubes (0.8 cm diameter and height of 2 cm) for the direct SFC measurement. The solid samples were loaded carefully into the NMR tubes to avoid air gaps by

using stainless steel piston. The sample tubes were cooled in a water-bath at temperatures of 5°C, 10°C, 15°C, 20°C, 25°C, 30°C, 35°C, 40°C, 45°C and 50°C for 24 hr following 30 min incubations at each temperature before SFC was measured (Jahaniaval *et al.*, 2002; Miskandar *et al.*, 2004; 2007).

### Fatty Acid Composition (FAC)

The FAC was determined by dissolving 0.05 g of melted samples in 1 ml hexane and reacting with 0.2 ml of 2 M sodium methoxide solution (in anhydrous methanol). The mixture was vigorously shaken for 1 min with a vortex mixer. After the sedimentation of sodium glycerolate, 1 µm of clear supernatant was injected into RTX 2330 fused silica capillary column (60 m x 0.25 mm x 0.25 µ) (Restex Corporation USA) and analysed using a Burker Gas Chromatography system Model 430-GC (Burker Daltonics, CA, USA) equipped with a flame ionisation detector (FID) and Galaxie Chromatography Data System. The detection and oven temperatures were set at 240°C and 190°C, respectively. The column temperature was isothermal at 185°C. Helium was used as the carrier gas with flow rate of 1 ml min<sup>-1</sup>. All chemicals and reagents used were of high performance liquid chromatography (HPLC) grade (Kanagaratnam *et al.*, 2013).

### Triacylglycerol (TAG) Composition

The TAG composition was performed using Ultra High Performance Liquid Chromatography (U-HPLC) system (1290 Infinity LC System, Agilent Technologies, USA) and Agilent 1260 Infinity RI detector (Agilent Technologies, USA). A Cortecs UPLC C18 column (2.1 mm x 150 mm length i.d; 1.6 µm particle size) (Waters Corp., Milford, Massachusetts, USA) maintained at 30°C was used. The mobile phase used was a mixture of acetone-acetonitrile at ratio 63.5:36.5 (v/v) at a flow rate of 0.25 ml min<sup>-1</sup>. Samples (1 ml) were solubilised in 1 ml of acetone and were filtered through a 0.2 µm syringe filter (GHP, Waters). The chemicals and reagents used were HPLC grade. HPLC analysis was conducted in duplicate and data were recorded as percent areas.

### Preparation of Biscuits

Biscuits were prepared using 400 g flour, 168 g fats, 180 g sugar, 50 g eggs, 3 g baking powder and 2.5 g vanilla essence. It started by mixing the fats with sugar for 2 min in a mixer (Hobart, US) at speed 1 to obtain homogenous cream. Then, vanilla essence and eggs were added and the mixture was continuously mixed at speed 2 for 30 s. Then, the mixture was scrapped before finally adding the flour and baking powder and mixed at speed 1 for

1 min. The biscuit dough was sheeted to a thickness of 3 mm and cut to a diameter of 41 mm using a standardised mould. The dough pieces were placed on a baking tray then baked at 180°C for 14 min. After baking, the biscuits were allowed to cool for 30 min. The biscuits were packed and sealed in polyethylene pouches and stored at room temperature (25°C).

### Physical Characteristics of Dough and Biscuits

The weight of the randomly selected biscuits were obtained by direct measurements before and after baking. The thickness, diameter and length of the biscuits were measured on a set of five biscuits for each recipe using a thickness meter. The spread ratio was determined using the formula: diameter/thickness of biscuits (Zoulias *et al.*, 2000). The moisture content of the biscuits was analysed using moisture analyser (AND model MX-5-, Japan). The surface colour of the biscuit was determined by using Chroma Meter CR-400 (Konica Minolta Sensing, Japan). The parameters determined were Commission on Illumination (CIE) colour values  $L^*$  [ $L^* = 0$  (black) and  $L^* = 100$  (white)],  $a^*$  ( $-a^*$  = greenness and  $+a^*$  = redness) and  $b^*$  ( $-b^*$  = blueness and  $+b^*$  = yellowness).

### Texture Profile Analysis (TPA) of Dough and Biscuits

The dough hardness was determined according to Pareyt *et al.* (2008) with modification in four replications using the texture analyser (model TA.XT plus, Stable Micro System, England) equipped with a 5 kg load cell in the measure force in compression

mode with a cylindrical probe (50 mm diameter). Pre- and post-test speeds were 2.0 mm s<sup>-1</sup>, while test speed was 1.0 mm s<sup>-1</sup>. The hardness of the biscuits was evaluated using a TA.XT plus texture analyser with a 50 mm aluminium probe by penetration mode. A pre-test speed of 1 mm s<sup>-1</sup>, test speed of 1 mm s<sup>-1</sup> and post-test speed of 2 mm s<sup>-1</sup>. Eight biscuits were measured for each sample to determine the maximum peak force which is the hardness.

### Statistical Analysis

Results were analysed with Minitab version 16.0 (Pennsylvania, USA) using one-way analyses of variance (ANOVA). Significance differences ( $P \leq 0.05$ ) among the samples were analysed using the Tukey's Post-Hoc test.

## RESULTS AND DISCUSSION

### SFC Profiles of the Shortening

The SFC profiles of the solid shortening, fluid shortening and RBD palm olein are shown in *Figure 1*. The RBD palm olein contains 31.94% of SFC at 5°C and is completely melted at 20°C. This indicates that the RBD palm olein is liquid at temperatures more than 20°C. In contrast, solid and fluid shortenings contain 70.13% and 66.27% SFC, respectively. However, the SFC of solid and fluid shortenings decreased gradually at 25°C to 25.28% and 15.53%, respectively. The SFC of solid and fluid shortenings are further decreased to 18.07% and 9.97%,




Figure 1. Solid fat content (SFC) of solid shortening, fluid shortening and refined, bleached and deodorised (RBD) palm olein ( $n = 3$ ).

respectively, at 30°C. Stauffer (2005) suggested that, in order to have a good machinability properties of biscuit dough, it is crucial to maintain the correct balance between the solid and liquid phase in the shortening. In the bakeries, at the average temperature of 25°C-30°C, which are the working temperature, shortening will be in the plastic/semi-solid form, with an optimum consistency for baking activities. In this regard, the SFC was the highest for solid shortening, followed by fluid shortening and RBD palm olein at working temperature. Basically, at least 15%-20% of fat in solid state (Manley, 2000a) is required to obtain good quality biscuits. Fluid and solid shortenings have 15.53% to 9.97% and 25.28% to 18.07%, respectively of SFC at 25°C-30°C at dough preparation temperature which falls in the recommended SFC for biscuit fat.

### Shortening Composition

FAC of solid shortening, fluid shortening and RBD palm olein are tabulated in *Table 1*. The fatty

acids in solid shortening, fluid shortening and RBD palm olein were mainly the palmitic acid (C16:0) and the dominant unsaturated fatty acids were oleic (C18:1) and linoleic acid (C18:2). There were other fatty acids present but in small quantity. Solid shortening contains the highest palmitic acid which is 49.59% compared to 46.23% and 38.26% in fluid shortening and RBD palm olein, respectively. Whereas for the dominant unsaturated fatty acid, oleic acid, was the highest in RBD palm olein which is 42.82% compared to 37.77% and 35.14% in fluid shortening and solid shortening, respectively. RBD palm olein was found to have the highest monounsaturated and polyunsaturated fatty acids but the lowest amount of saturated fatty acids as compared to solid shortening and fluid shortening.

The relative percentage of TAG molecular species is shown in *Table 1*. There were 15 TAG detected in solid shortening, fluid shortening and RBD palm olein, namely OLL, PLL, MLP, OLO, PLO, PLP, MPP, OOO, POO, POP, PPP, SOO, POS, PPS and SOS, by which M, L, O, P and S exhibit myristic, linoleic, oleic,

TABLE 1. FATTY ACIDS (FAC) AND TRIACYLGLYCEROL (TAG) COMPOSITION (%) IN SOLID SHORTENING, FLUID SHORTENING AND RBD PALM OLEIN

	Solid shortening	Fluid shortening	RBD palm olein
Fatty acids			
C12:0	0.18 ± 0.01 <sup>b</sup>	0.19 ± 0.00 <sup>b</sup>	0.55 ± 0.00 <sup>a</sup>
C14:0	1.07 ± 0.00 <sup>b</sup>	1.04 ± 0.00 <sup>c</sup>	1.09 ± 0.00 <sup>a</sup>
C16:0	49.59 ± 0.01 <sup>a</sup>	46.23 ± 0.00 <sup>b</sup>	38.26 ± 0.04 <sup>c</sup>
C16:1	0.17 ± 0.02 <sup>a</sup>	0.20 ± 0.00 <sup>a</sup>	0.21 ± 0.04 <sup>a</sup>
C18:0	4.87 ± 0.01 <sup>a</sup>	4.69 ± 0.00 <sup>b</sup>	4.34 ± 0.00 <sup>c</sup>
C18:1	35.14 ± 0.02 <sup>c</sup>	37.77 ± 0.03 <sup>b</sup>	42.82 ± 0.03 <sup>a</sup>
C18:2	8.36 ± 0.01 <sup>c</sup>	9.24 ± 0.01 <sup>b</sup>	11.95 ± 0.00 <sup>a</sup>
C18:3	0.18 ± 0.00 <sup>c</sup>	0.21 ± 0.00 <sup>b</sup>	0.33 ± 0.00 <sup>a</sup>
C20:0	0.32 ± 0.00 <sup>a</sup>	0.33 ± 0.05 <sup>a</sup>	0.37 ± 0.05 <sup>a</sup>
SFA	56.04 ± 0.01 <sup>a</sup>	52.48 ± 0.03 <sup>b</sup>	44.62 ± 0.01 <sup>c</sup>
MUFA	35.31 ± 0.01 <sup>c</sup>	37.98 ± 0.01 <sup>b</sup>	43.03 ± 0.00 <sup>a</sup>
PUFA	8.55 ± 0.00 <sup>c</sup>	9.45 ± 0.04 <sup>b</sup>	12.27 ± 0.01 <sup>a</sup>
TAG*			
OLL	0.24 ± 0.01 <sup>c</sup>	0.28 ± 0.01 <sup>b</sup>	0.51 ± 0.00 <sup>a</sup>
PLL	1.10 ± 0.01 <sup>c</sup>	1.26 ± 0.03 <sup>b</sup>	1.93 ± 0.02 <sup>a</sup>
MLP	0.24 ± 0.04 <sup>a</sup>	0.32 ± 0.11 <sup>a</sup>	0.24 ± 0.02 <sup>a</sup>
OLO	1.02 ± 0.02 <sup>c</sup>	1.17 ± 0.02 <sup>b</sup>	1.54 ± 0.02 <sup>a</sup>
PLO	7.98 ± 0.13 <sup>c</sup>	9.04 ± 0.12 <sup>b</sup>	10.94 ± 0.07 <sup>a</sup>
PLP	7.07 ± 0.03 <sup>c</sup>	7.59 ± 0.08 <sup>b</sup>	8.96 ± 0.03 <sup>a</sup>
MPP	0.93 ± 0.04 <sup>a</sup>	0.63 ± 0.01 <sup>b</sup>	-
OOO	3.91 ± 0.10 <sup>b</sup>	4.26 ± 0.37 <sup>b</sup>	5.22 ± 0.08 <sup>a</sup>
POO	23.96 ± 0.49 <sup>c</sup>	27.06 ± 0.16 <sup>b</sup>	33.66 ± 0.22 <sup>a</sup>
POP	31.75 ± 0.07 <sup>a</sup>	31.88 ± 0.15 <sup>a</sup>	28.04 ± 0.08 <sup>b</sup>
PPP	11.17 ± 0.56 <sup>a</sup>	6.53 ± 0.07 <sup>b</sup>	-
SOO	2.48 ± 0.06 <sup>c</sup>	2.77 ± 0.08 <sup>b</sup>	3.62 ± 0.17 <sup>a</sup>
POS	5.34 ± 0.04 <sup>a</sup>	5.32 ± 0.09 <sup>a</sup>	4.72 ± 0.15 <sup>b</sup>
PPS	2.19 ± 0.14 <sup>a</sup>	1.20 ± 0.06 <sup>b</sup>	-
SOS	0.59 ± 0.03 <sup>a</sup>	0.65 ± 0.02 <sup>a</sup>	0.60 ± 0.04 <sup>a</sup>

Note: <sup>a</sup>Data are mean values of duplicates. Coefficient of variation was within 5%.

Different letters for each row indicate significant difference ( $P \leq 0.05$ ) between the samples.

SFA - saturated fatty acid; MUFA - monounsaturated fatty acid; PUFA - polyunsaturated fatty acid.

M - myristic; L - linoleic; O - oleic; P - palmitic, and S - stearic.

**TABLE 2. WEIGHT AND HARDNESS OF THE DOUGH**

Sample	Dough	
	Weight (g)	Hardness (g)
SS	6.83 ± 0.21 <sup>a</sup>	492.48 ± 9.79 <sup>a</sup>
FS	7.40 ± 0.10 <sup>b</sup>	364.71 ± 19.22 <sup>b</sup>
POo	7.29 ± 0.10 <sup>b</sup>	361.83 ± 11.99 <sup>b</sup>

Note: Different letters for each column indicate significant differences (P≤0.05) between the samples.

SS - solid shortening; FS - fluid shortening; POo – refined, bleached and deodourised palm olein.

palmitic and stearic, respectively. These TAG were categorised as SSU (disaturated-monounsaturated), SUU (monosaturated-diunsaturated), UUU (triunsaturated) and SSS (trisaturated). SSU consists of MLP, PLP, POP, POS and SOS. SUU consists of PLL, PLO, POO and SOO. UUU consists of OLL, OLO and OOO. SSS consists of MPP, PPP and PPS. Solid and fluid shortenings and RBD palm olein are predominantly consisted of SSU, SUU and UUU type TAG. Absence of SSS is noted in RBD palm olein sample. RBD palm olein contains the highest amount of unsaturated fatty acids compared to solid and fluid shortening. This explains why RBD palm olein is liquid at temperatures higher than 20°C compared to solid and fluid shortenings. Solid and fluid shortenings are solid and semi-solid at working temperature as they contain high palmitic acid (16:0) as compared to RBD palm olein. Increasing the concentration of palm stearin in the shortenings was found to decrease the TAG, such as PLO, POO and POP. Solid shortening was found to have the highest trisaturated TAG such as MPP, PPP and PPS than fluid shortening.

**Dough Properties**

The dough of biscuits produced using solid shortening was significantly lower in weight as compared to the one processed using fluid shortening and RBD palm olein (Table 2). However, the result of the hardness values by texture analyser was in contrast with the weight values where the hardness of the dough containing solid shortening

was significantly higher than the other samples (Table 2). The dough became harder and more crumbly. It has been reported that the highest value of hardness was observed in the dough made with the highest SFC contents (Sciarini *et al.*, 2013). This suggests that the findings are aligned with Jissy and Leelavathi (2007) that the dough containing oil is generally softer as it is more cohesive and viscous. Adversely, the dough containing solid shortening was harder due to higher SFC in the shortening. This explained that there is a competition between the aqueous phase and the fat on the surface of the flour which occurs during the dough mixing process. Gluten is developed when water or sugar solution interacted with the protein in the flour, resulting in a cohesive and extensible network. The existence of fat will coat the flour particles and disrupt the formation of gluten network making the biscuits to reduce in hardness and shorter (Manley, 2000b).

**Biscuit Properties**

The weight of biscuit samples was not significantly difference (P>0.05) (Table 3). However, the diameter, length, thickness and spread ratio among the samples showed significant difference. Biscuits containing solid shortening had the highest diameter and length values compared to the biscuits containing fluid shortening and RBD palm olein. However, the latter showed no significant difference in diameter and length (Table 3). Diameter (spreadability) of biscuits is one of the important parameter in determining the quality of the biscuit (Hadnadev *et al.*, 2015). The regularity of the biscuit diameter will assist in better and economical packaging size while an irregular ones will cause a lot of products being rejected.

During baking, the dough starts to spread due to the disintegration of sucrose and melting of fat. This phenomenon continues during the baking time until the structure is completely set due to the increase in dough viscosity (Doescher *et al.*, 1987). The spreadness and thickness are related to the amount of fat content in biscuits (Manohar and Rao, 1999). It has been reported that a higher biscuit thickness

**TABLE 3. PHYSICAL PROPERTIES OF BISCUITS**

Sample	Weight (g)	Diameter (mm)	Length (mm)	Thickness (mm)	Spread ratio	Moisture content (%)	Colour			Hardness (g)
							L*	a*	b*	
SS	6.19 ± 0.17 <sup>a</sup>	4.58 ± 0.05 <sup>a</sup>	4.55 ± 0.01 <sup>a</sup>	0.69 ± 0.01 <sup>ab</sup>	6.61 ± 0.14 <sup>ab</sup>	2.42 ± 0.25 <sup>a</sup>	78.59 ± 0.74 <sup>a</sup>	-0.06 ± 0.11 <sup>a</sup>	23.54 ± 0.47 <sup>a</sup>	2 088.0 ± 152.3 <sup>b</sup>
	FS	6.24 ± 0.11 <sup>a</sup>	4.48 ± 0.02 <sup>b</sup>	4.44 ± 0.04 <sup>b</sup>	0.79 ± 0.15 <sup>a</sup>	5.84 ± 1.19 <sup>b</sup>	2.36 ± 0.13 <sup>a</sup>	72.85 ± 1.82 <sup>b</sup>	-0.06 ± 0.09 <sup>a</sup>	24.00 ± 1.47 <sup>a</sup>
POo		6.07 ± 0.06 <sup>a</sup>	4.43 ± 0.02 <sup>b</sup>	4.41 ± 0.01 <sup>b</sup>	0.53 ± 0.01 <sup>b</sup>	8.30 ± 0.16 <sup>a</sup>	2.75 ± 0.08 <sup>a</sup>	75.26 ± 0.26 <sup>b</sup>	-0.00 ± 0.15 <sup>a</sup>	24.02 ± 0.20 <sup>a</sup>

Note: Different letters for each column indicate significant differences (P≤0.05) between the samples.

SS - solid shortening; FS - fluid shortening; POo – refined, bleached and deodourised palm olein.

was associated with lower SFC. Usually fats with lower SFC produce dough with lower consistencies that will be easily expanded during baking and gas release (Sciarini *et al.*, 2013). However, *Table 3* shows contradicting results in the biscuit diameter. Biscuits with the highest SFC showed the highest thickness. This scenario was associated with the lower spreading of these biscuits during baking. Fluid shortening and solid shortenings had good leavening which produced biscuits with double the original height. Biscuits containing fluid shortening were the thickest, but was not significantly thicker than solid shortening. Biscuits containing RBD palm olein had the lowest thickness value. However, the trend was contradictory in the values of spread ratio. The values of spread ratio increases with the decrease values of diameter and thickness of the biscuit (*Table 3*).

Biscuits containing RBD palm olein had the highest spread ratio than the others. That might be because there is oiling out from the dough. These results are in agreement with the findings by Jissy and Leelavathi (2007). Their studies also proved that the biscuits containing oil spread earlier than the others and continue to spread for a longer time. However, there was no significant difference in the moisture content of the biscuits.

The surface colour of the biscuits showed significant difference on L\* value. Biscuits containing solid shortening had the highest L\* value which was 78.59. Shibukawa *et al.* (1989) explained that the difference in the L\* value was reported as a function of the temperature of the biscuit surface. The differences observed in sample L\* values seen in this study may be associated to the treatment of the shortening and their inherent heat transfer coefficients as the other parameters such as temperature, air velocity, and humidity were constant throughout baking for all cookie samples (Goldstein and Seetharaman, 2011).

### Biscuits Texture Evaluation

The textural characteristic is another important criteria in evaluating the quality of biscuits. It is noted that the hardness value increases in biscuits with low SFC (*Table 3*). Biscuits containing RBD palm olein possess the highest hardness values compared to the other biscuits due to the poor air entrapment during creaming as explained by Jissy and Leelavathi (2007). Kamel (1994) claimed that the hard texture of biscuits made from liquid oil is due to the fact that the liquid oil is not able to retain the air in the system although there is an enormous amount of air being integrated in the liquid oil.

The biscuit break strength increased when the fat levels in the recipe were reduced. This scenario was linked to more gluten cross-linking in the biscuits (Pareyt *et al.*, 2010). In making good biscuits,

plasticity in fats is crucial for the creaming process as this will entrap and retain ample volumes of air that contributes to the leavening effect. On the other hand, typical liquid oils such as RBD palm olein are diffused upon mixing through out the dough making them less effective in their shortening and aerating actions (Hartnett and Thalheimer, 1979; Jissy and Leelavathi, 2007).

### CONCLUSION

The study has demonstrated that the weight, thickness, spread ratio, moisture content and hardness of biscuits containing fluid shortening were not significantly different ( $P>0.05$ ) to the biscuits containing solid shortening. The SFC of the shortening significantly influenced the hardness of the biscuits where low SFC shortening has resulted in high hardness values. Thus, it is concluded that the performance of the fluid shortening in biscuits is comparable to the solid shortening.

### ACKNOWLEDGEMENT

The authors would like to thank the Director-General of MPOB for permission to publish this article.

### REFERENCES

- BALSAVIAS, A; JURGENS, A and VANVLIET, T (1997). Rheological properties of short doughs at small deformation. *J. Cereal Sci.*, 26(3): 289-300.
- CHE MAN, Y B; MISKANDAR, M S; ABDUL RAHMAN, R; NOR AINI, I and YUSOFF, M S A (2009). Monitoring crystal development in palm oil-based fluid shortening production by FT-IR spectroscopy. *J. Food Process Pres.*, 34: 68-82.
- DOESCHER, L C; HOSENEY, R C and MILLIKEN, G A (1987). A mechanism for cookie dough setting. *Cereal Chem.*, 64(3): 158-163.
- GAWRILOW, I (1980). Fluid shortening. Strongsville, Ohio. US patent. US 4234606 A.
- GHOTRA, B S; DYAL, S D; SURESH, S and NARINE, S (2002). Lipid shortenings: a review. *Food Res Int.*, 35: 1015-1048.
- GIESE, J (1996). Fats and fat replacers, balancing the health benefits. *Food Technology*, 50: 76-78.
- GOLDSTEIN, A and SEETHARAMAN, K (2011). Effect of a novel monoglyceride stabilized oil in water emulsion shortening on cookie properties. *Food Research International*, 44: 1476-1481.

- HADNAĐEV, T D; HADNAĐEV, M; POJIĆ, M; RAKITA, S and KRSTONOŠIĆ, V (2015). Functionality of OSA starch stabilized emulsions as fat replacers in cookies. *J. Food Eng.*, 167: 133-138.
- HARTNETT, D I and THALHEIMER, W G (1979). Use of oil in baked products – Part I: Background and bread. *J. Amer. Oil Chem. Soc.*, 56: 944-947.
- JAHANIAVAL, F; KAKUDA, Y and ABRAHAM, V (2002). Oil-binding capacity of plastic fats: effects of intermediate melting point TAG. *J. Amer. Oil Chem. Soc.*, 79: 389-394.
- JISSY, J and LEELAVATHI, K (2007). Effect of fat-type on cookie dough and cookie quality. *J. Food Eng.*, 79: 299-305.
- KAMEL, B S (1994). Creaming, emulsions, and emulsifiers. *The Science of Cookie and Cracker Production* (Hamed, F Faridi ed.). New York: Chaman & Hall.
- KANAGARATNAM, S; ENAMUL HOQUE, M; MISKANDAR, M S and ANDREW SPOWAGE, A (2013). Investigating the effect of deforming temperature on the oil-binding capacity of palm oil based shortening. *J. Food Eng.*, 118: 90-99.
- MANLEY, D (2000a). Short dough biscuits. *Technology of Biscuits, Crackers and Cookies*. (Manley, D ed.). Boca Raton, USA: CRC Press. p. 274-284.
- MANLEY, D (2000b). Fats and oils. *Technology of Biscuits, Crackers and Cookies*. (Manley, D ed.). Boca Raton, USA: CRC Press. p. 130-150.
- MANOHAR, R S and RAO, P H (1999). Effect of emulsifiers, fat level and type on the rheological characteristics of biscuit dough and quality of biscuits. *J. Sci Food Agric.*, 79(10): 1223-1231.
- MISKANDAR, M S; CHE MAN, Y B; ABDUL RAHMAN, R; NOR AINI, I and YUSOFF, M S A (2007). Effects of emulsifiers on crystal behavior of palm oil blends on slow crystallization. *J. Food Lipids*, 14: 1-18.
- MISKANDAR, M S; CHE MAN, Y B; ABDUL RAHMAN, R; NOR AINI, I and YUSOFF, M S A (2004). Palm oil crystallization: Effects of cooling time and oil content. *J. Food Lipids*, 11: 190-207.
- O'BRIEN, R D (2003). *Fats and Oils: Formulating and Processing for Applications*. Boca Raton, USA: CRC Press,.
- PAREYT, B; BRIJS, K and DELCOUR, J A (2010). Impact of fat on dough and cookie properties of sugar-snap cookies. *Cereal Chem.*, 87(3): 226-230.
- SCIARINI, L S; VANBOCKSTAEL, F; NUSANTORO, B; PÉREZ, G T and DEWETTINCK, K (2013). Properties of sugar-snap cookies as influenced by lauric-based shortenings. *J. Cereal Sci.*, 58: 234-240.
- SHIBUKAWA, S; SUGIYAMA, K and YANO, T (1989). Effects of heat-transfer by radiation and convection on browning of cookies at baking. *J. Food Science*, 54(3): 621-624.
- STAUFFER, C E (2005). Fats and oils in bakery products. *Bailey's Industrial Oil and Fat Products* (Shahidi, F ed.). Vol 4. John Wiley & Sons, New York Inc. p. 207-216.
- STAUFFER, C E (1998). Fats and oils in bakery products. *Cereal Food World*, 43: 120-126.
- YANTY, N A M; MARIKKAR, J M N and ABDULKARIM, S M (2014). Determination of types of fat ingredient in some commercial biscuit formulations. *Int Food Res J.*, 21(1): 277-282.
- ZOULIAS, E I; PIKNIS, S and OREOPOULOU, V (2000). Effect of sugar replacement by polyols and Acesulfane-K on properties of low fat cookies. *J. Sci Food Agric.*, 80(14): 2049-2056.